

Nicotine Replacement Therapy

Ahluwalia, J.S., S.E. McNagny, and W.S. Clark. "Smoking Cessation Among Inner-City African Americans Using the Nicotine Transdermal Patch." Journal of General Internal Medicine (1998) 13:55-57.

Assali, A.R., Y. Beigel, R. Schreiber, Z. Shafer, and M. Fainaru. "Weight Gain and Insulin Resistance During Nicotine Replacement Therapy." Clinical Cardiology (1999) 22:357-360.

Balfour, D., N. Benowitz, K. Fagerstrom, M. Kunze, and U. Keil. "Diagnosis and Treatment of Nicotine Dependence with Emphasis on Nicotine Replacement Therapy. A Status Report." European Heart Journal (2000) 21:434-435.

Benowitz, N.L. and S.G. Gourlay. "Cardiovascular Toxicity of Nicotine: Implications for Nicotine Replacement Therapy." Journal of the American College of Cardiology. (1997) 29:1422-1431.

Blondal, T., M. Franzon, and A. Westin. "A Double-Blind Randomized Trial of Nicotine Nasal Spray as an Aid in Smoking Cessation." European Respiratory Journal (1997) 10:1585-1590.

Blondal, T., et. al. "The Effects of Fluoxetine Combined with Nicotine Inhalers in Smoking Cessation--a Randomized Trial." Addiction (1999) 94:1007-1015.

Blondal, T., L.J. Gudmundsson, G. Olafsdottir, and A. Westin. "Nicotine Nasal Spray with Nicotine Patch for Smoking Cessation: Randomised Trial with Six year Follow Up." British Medical Journal (1999) 318(7179):285-288.

Bohadana, A., F. Nilsson, T. Rasmussen, and Y. Martinet. "Nicotine Inhaler and Nicotine Patch as a Combination Therapy for Smoking Cessation: A Randomized Double-Blind, Placebo-Controlled Trial." Archives of Internal Medicine (2000) 160:3128-3134.

Bollinger, C.T. "Practical Experiences in Smoking Reduction and Cessation." Addiction (2000) 95:S19-24.

Bolin, L.J., D.O. Antonuccio, W.C. Follette, and P. Krumpe. "Transdermal Nicotine: The Long and Short of It." Psychology of Addictive Behaviors (1999) 13:152-156

Clavel-Chapelon, F., C. Paoletti, and S. Benhamou. "Smoking Cessation Rates 4 Years After Treatment by Nicotine Gum and Acupuncture." Preventive Medicine (1997) 26:25-28.

Cummings, K.M., A. Hyland, J.K. Ockene, N. Hymowitz, and M. Manley. "Use of the Nicotine Skin Patch by Smokers in 20 Communities in the United States, 1992-1993." Tobacco Control (1997) 6:S63-S70.

Dale, L.C., R.D. Hurt, and J.T. Hays. "Drug Therapy to Aid in Smoking Cessation. Tips to Maximizing Patients' Chances for Success." Postgraduate Medicine (1998) 104(6):75-84.

Dale, L.C., et. al. "Weight Change After Smoking Cessation Using Variable Doses of Transdermal Nicotine Replacement." Journal of General Internal Medicine (1998) 13(1):9-15.

Doherty, K., F.S. Militello, T. Kinnunen, and A.J. Garvey. "Nicotine Gum Dose and Weight Gain After Smoking Cessation." Journal of Consulting and Clinical Psychology (1996) 64:799-807.

Emmons, K.M., et. al. "The Use of Nicotine Replacement Therapy During Hospitalization." Annals of Behavioral Medicine (2000) 22:325-329.

Etter, J.F. and T.V. Perneger. "Attitudes Toward Nicotine Replacement Therapy in Smokers and Ex-Smokers in the General Public." Clinical Pharmacology and Therapeutics (2001) 69:175-183.

Fant, R.V., L.L. Owen, and J.E. Henningfield. "Nicotine Replacement Therapy." Primary Care (1999) 26:633-652.

Fiore, M.C., et. al. "Helping Wisconsin Women Quit Smoking: A Successful Collaboration." WMJ (1999) 99(2):68-72.

Garvey, A.J., et. al. "Effects of Nicotine Gum by Level of Nicotine Dependence." Nicotine & Tobacco Research (2000) 2:53-63.

Gourlay, S.G. and N.L. Benowitz. "The Benefits of Stopping Smoking and the Role of Nicotine Replacement Therapy in Older Patients." Drugs & Aging (1996) 9:8-23.

Hajek, P. and R. West. "Continued Dependence on Nicotine Replacement Therapy Should be Reported and Discussed in Smoking Cessation Trials." Archives of Internal Medicine (2000) 160:2062-2063.

Hajek, P., et. al. "Randomized Comparative Trial of Nicotine Polacrilex, a Transdermal Patch, Nasal Spray, and an Inhaler." Archives of Internal Medicine (1999) 159:2033-2038.

Hays, J.Y., et. al. "Over-the Counter Nicotine Patch Therapy for Smoking Cessation: Results from Randomized, Double-Blind, Placebo Controlled, and Open Label Trials." American Journal of Public Health (1999) 89:1701-1707.

Hill, A.L., D.J. Roe, D.L. Taren, M.M. Muramoto, and S.J. Leischow. "Efficacy of Transdermal Nicotine in Reducing Post-Cessation Weight Gain in a Hispanic Sample." Nicotine & Tobacco Research (2000) 2:247-253.

Hjalmarson, A., F. Nilsson, L. Sjostrom, and O. Wiklund. "The Nicotine Inhaler in Smoking Cessation." Archives of Internal Medicine (1997) 157:1721-1728.

Hughes, J.R., et. al. "Are Higher Doses of Nicotine Replacement More Effective for Smoking Cessation?" Nicotine & Tobacco Research (1999) 1:169-174.

Hughes, J.R., M.G. Goldstein, R.D. Hurt, and S. Shiffman. "Recent Advances in the Pharmacotherapy of Smoking." JAMA (1999) 281:72-76.

Hurt, R.D., et. al. "Nicotine Nasal Spray for Smoking Cessation: Pattern of Use, Side Effects, Relief of Withdrawal Symptoms, and Cotinine Levels." Mayo Clinic Proceedings (1998) 73:118-125.

Hurt, R.D., et. al. "Temporal Effects of Nicotine Nasal Spray and Gum on Nicotine Withdrawal Symptoms." Psychopharmacology (1998) 140:98-104.

Jorenby, D.E., et. al. "Characterization of Tobacco Withdrawal Symptoms: Transdermal Nicotine Reduces Hunger and Weight Gain." Psychopharmacology (1996) 128:130-138.

Jorenby, D.E., D.S. Keehn, and M.C. Fiore. "Comparative Efficacy and Tolerability of Nicotine Replacement Therapies." CNS Drugs (1995) 3:227-236.

Jorenby, D.E., et. al. "A Controlled Trial of Sustained-Release Bupropin, a Nicotine Patch, or Both for Smoking Cessation." New England Journal of Medicine (1999) 340:685-691.

Joseph, A.M., et. al. "The Safety of Transdermal Nicotine as an Aid to Smoking Cessation in Patients with Cardiac Disease." New England Journal of Medicine (1996) 33:1792-1798.

Killen, J.D., S.P. Fortmann, L. Davis, L. Strausberg, and A. Varady. "Do Heavy Smokers Benefit From a Higher Dose Nicotine Patch Therapy?" Experimental and Clinical Psychopharmacology (1999) 7:226-233.

Killen, J.D., S.P. Fortmann, L. Davis, and A. Varady. "Nicotine Patch and Self-Help Video for Cigarette Smoking Cessation." Journal of Clinical Psychology (1997) 65:663-672.

Kimmel, S.E., et. al. "Risk of Acute First Myocardial Infarction and Use of Nicotine Patches in a General Population." Journal of the American College of Cardiology (2001) 37:1297-1302.

- Kunze U., R. Schoberberger, A. Schmeiser-Reider, E. Groman, and M. Kunze. "Alternative Nicotine Delivery Systems (ANDS)--Public Health-Aspects." Wiener Klinisch Wochenschrift (1998) 23:811-816.
- Kunze, M. "Harm Reduction: The Possible Role of Nicotine Replacement." The Tobacco Epidemic: Progress in Respiratory Research. (1997) 28:190-198.
- Kunze, M. "Maximizing Help for Dissonant Smokers." Addiction (2000) 95(Supp 1):S13-S17.
- Lawrence, W.F., S.S. Smith, T.B. Baker, and M.C. Fiore. "Does Over-the-Counter Nicotine Replacement Therapy Improve Smoker's Life Expectancy?" Tobacco Control (1998) 7:364-368.
- Lewis, S.F., T.M. Piasecki, M.C. Fiore, J.E. Anderson, and T.B. Baker. "Transdermal Nicotine Replacement for Hospitalized Patients: A Randomized Clinical Trial." Preventive Medicine (1998) 27:296-303.
- Mahmariyan, J.J., et. al. "Nicotine Patch Therapy in Smoking Cessation Reduces the Extent of Exercise-Induced Myocardial Ischemia." Journal of the American College of Cardiology (1997) 30:125-130.
- Mathias, R. "Nicotine Patch Helps Smokeless Tobacco Users Quit, but Maintaining Abstinence May Require Additional Treatment." NIDA Notes (2001) 16:8-9.
- Montalto, N.J. and S.D. Garrett. "Utilization of Nicotine Nasal Spray in Smoking Cessation." J American Osteopathic Association Journal (1998) 98:160-164.
- "Nicotine Replacement Therapy for a Healthier Nation: Nicotine Replacement is Cost Effective and Should be Prescribable on the NHS." British Medical Journal (1998) 317:1266-1267.
- Nordstrom, B.L., T. Kinnunen, C.H. Utman, and A.J. Garvey. "Long-Term Effects of Nicotine Gum on Weight gain After Smoking Cessation." Nicotine & Tobacco Research (1999) 1:259-268.
- Okuyemi, K.S., J.S. Ahluwalia, and K.J. Harris. "Pharmacotherapy of Smoking Cessation." Archives of Family Medicine (2000) 9:270-281.
- Orleans, C.T., et. al. "Use of Transdermal Nicotine in a State-Level Prescription Plan for the Elderly. A First Look at the 'Real World' Patch Users." JAMA (1994) 271:601-607.

Oster, G., T.E. Delea, D.M. Huse, M.M. Regan, and G.A. Colditz. "The Benefits and Risks of Over-the-Counter Availability of Nicotine Polacrilex ('Nicotine Gum')." Medical Care (1996) 34(5):389-402.

Perkins, K.A. "Sex Differences in Nicotine Verses Non-Nicotine Reinforcement as Determinants of Tobacco Smoking." Experimental and Clinical Psychopharmacology (1996) 64:166-177.

Richmond, R.L., L. Kehoe, and A.C. De Almeida Neto. "Effectiveness of a 24-Hour Nicotine Patch in Conjunction with a Cognitive Behavioral Programme: One Year Outcome Transdermal." Addiction (1997) 27-31.

Rosal, M.C., J.K. Ockene, T.G. Hurley, K. Kalan, and J.J. Hebert. "Effectiveness of Nicotine-Containing Gum in the Physician-Delivered Intervention Study." Preventive Medicine (1998) 27:262-267.

Schneider, N.G., et. al. "Efficacy of a Nicotine Inhaler in Smoking Cessation: A Double-Blind, Placebo Controlled Trial." Addiction (1996) 91:1293-1306.

Shiffman, S., J.A. Paty, J.M. Rohay, M.E. Di Marino, and J. Gitchell. "The Efficacy of Computer-Tailored Smoking Cessation Material as a Supplement to Nicotine Polacrilex Gum Therapy." Archives of Internal Medicine (2000) 160:1675-1681.

Shiffman, S., M. Khayrallah, and R. Nowak. "Efficacy of the Nicotine Patch for Relief of Craving and Withdrawal 7-10 Weeks After Cessation." Nicotine & Tobacco Research (2000) 2:371-378.

Silagy, C., D. Mant, G. Fowler, and T. Lancaster. "Nicotine Replacement Therapy for Smoking Cessation." Cochrane Database of Systematic Reviews (2000) 2:CD000146.

Solomon, L.J. "Free Nicotine Patch Plus Proactive Telephone Peer Support to Help Low-Income Women Stop Smoking." Preventive Medicine (2000) 31:68-74.

Stapleton, J.A., G. Sutherland, and M.A. Russell. "How Much Does Relapse After One Year Erode Effectiveness of Smoking Cessation Treatments? Long-Term Follow up of Randomised Trial of Nicotine Nasal Spray." British Medical Journal (1998) 316:830-831.

Stapleton, J.A., A. Lowin, and M.A. Russell. "Prescription of Transdermal Nicotine Patches for Smoking Cessation in General Practice: Evaluation of Cost-Effectiveness." Lancet (1999) 354:210-215.

Thompson, G.H. and D.A. Hunter. "Nicotine Replacement Therapy." Annals of Pharmacotherapy (1998) 31:1067-1075.

Tonnesen, P., et. al. "Higher Dosage Nicotine Patches Increase One-Year Smoking Cessation Rates: Results from the European CEASE Trial. Collaborative European Anti-Smoking Evaluation. European Respiratory Society." European Respiratory Journal (1999) 13:238-246.

Tonnesen, P. "Nicotine Replacement and Other Drugs in Smoking Cessation." The Tobacco Epidemic: Progress in Respiratory Research (1997) 28:178-189.

Tonnensen, P. "Smoking Cessation: Nicotine Replacement, Gums and Patches." Monaldi Arch Chest Dis (1999) 54:489-494.

Wasley, M.A., S.E. McNaghy, V.L. Phillips, and J.S. Ahluwalia. "The Cost-Effectiveness of the Nicotine Transdermal Patch for Smoking Cessation." Preventive Medicine 1997 26(2):264-270.

West, R., et. al. "A Comparison of the Abuse Liability and Dependence Potential of Nicotine Patch, Gum, Spray and Inhaler." Psychopharmacology (2000) 149:198-202.

West, R., et. al. "Individual Differences in Preferences for and Responses to Four Nicotine Replacement Products." Psychopharmacology (2001) 153:225-230.

Wetter, D.W., et. al. "Gender Differences in Response to Nicotine Replacement Therapy: Objective and Subjective Indexes of Tobacco Withdrawal." Experimental and Clinical Psychopharmacology (1999) 7:135-144.

Wetter, D.W., et. al. "Gender Differences in Smoking Cessation." Journal of Consulting and Clinical Psychology (1999) 67:555-562.

Wiseman, E.J. "Nicotine Replacement Therapy and Smoking Reduction as an Interim Goal." JAMA (1998) 279:194-195.

Zhu, S.H., et. al. "Telephone Counseling and Adjuvant Treatment for Nicotine Replacement Therapy in a 'Real-World' Setting." Preventive Medicine (2000) 31 (4):357-363.